

PRODUCT CLASS

Type A



SK78 BRD STROP


Braided strop

**DYNEEMA SK99
UNI LOOP**

CORE : Dyneema SK78 pre-stretch + poliurethane resin treatment
COVER : Tech mix Absent

CORE : DYNEEMA SK78

(PRE-STRETCH HPT + PU RESIN TREATMENT)



COVER MIX TECNICO : ABSENT

FIBER CHARACTERISTICS

The fiber's components of this product are : **DYNEEMA SK78**

- **Dyneema** it's an ultra high molecular weight polyethylene .



FIBER'S PROPERTY	UDM	DYNEEMA SK78	-	-	-
Tenacity	gr/den	39,8	-	-	-
Specific gravity	gr/cm³	0,974	-	-	-
Elongation at break	%	3,5	-	-	-
Tensile modulus	gr/den	1.314	-	-	-
Melting point	°C	147	-	-	-

CORE



DYNEEMA SK78

COVER

ABSENT



BRAID CHARACTERISTICS


CORE			COVER (it's a media of the of all fiber's components)		
Tenacity	39,8	gr/den	Abrasion resistance	39,8	gr/den
Creep	0,5	%	Peack of temp.	147	°C
Module	1.314	gr/den	Grip	0,06	frict. coeff.
Weight	0,974	gr/cm ³	Weight	0,947	gr/cm ³

DISCOUNT SYSTEM

SHOP		WHOLESALE	
Custom lenght	sc. %	Custom lenght	sc. %
Standard lenght	sc. %	Standard lenght	sc. %
-	-	-	-

APPLICATIONS , TECHNICAL DATA , PRICE

- High performance strop



∅	weight	working load	breacking load	measure	custom lenght	∅	solid colors	-	-	-
mm	gr/mt	daN	daN	cm	mt	mm	€/pz	-	-	-
6	0,0	1.000	3.000	5 - 30 - 5	on request	6	27,20 €	-	-	-
6	0,0	1.000	3.000	5 - 60 - 5	on request	6	29,60 €	-	-	-
6	0,0	1.000	3.000	5 - 100 - 5	on request	6	32,00 €	-	-	-
-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-
8	0,0	2.000	6.000	5 - 30 - 5	on request	8	29,60 €	-	-	-
8	0,0	2.000	6.000	5 - 60 - 5	on request	8	32,80 €	-	-	-
8	0,0	2.000	6.000	5 - 100 - 5	on request	8	36,00 €	-	-	-
-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-
10	0,0	3.000	9.000	5 - 30 - 5	on request	10	32,00 €	-	-	-
10	0,0	3.000	9.000	5 - 60 - 5	on request	10	36,00 €	-	-	-
10	0,0	3.000	9.000	5 - 100 - 5	on request	10	40,00 €	-	-	-
-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-
12	0,0	5.000	15.000	5 - 30 - 5	on request	12	40,00 €	-	-	-
12	0,0	5.000	15.000	5 - 60 - 5	on request	12	45,00 €	-	-	-
12	0,0	5.000	15.000	5 - 100 - 5	on request	12	50,00 €	-	-	-

Stretch at 30% of breacking load....2,15%
Stretch at breacking load.....3,50%

* Linear breaking load in according to DIN EN ISO 2307