

PRODUCT CLASS

Type C


T6 SQUARE LINE POLY PRO

6 strands floating line

**T6
SQUARE LINE
POLY PRO**

CORE : Polypropylene HT
COVER : Absent

ANIMA : POLYPROPYLENE HT



COVER TECH MIX : ABSENT


FIBER CHARACTERISTICS

The fiber's components of this product are : **POLYPROPYLENE HT**

- **Polypropylene** is a thermoplastic polymer made from the combination of propylene monomers



FIBER'S PROPERTY	UDM	POLYPROPYLENE HT	-	-
Tenacity	gr/den	6,5	-	-
Specific gravity	gr/cm ³	0,910	-	-
Elongation at break	%	20	-	-
Tensile modulus	gr/den	120	-	-
Melting point	°C	164	-	-



BRAID CHARACTERISTICS

CORE		COVER <small>(it's a media of the of all fiber's components)</small>	
Tenacity	6,5 gr/den	Abrasion resistance	- gr/den
Creep	- %	Peack of temp.	- °C
Module	120 gr/den	Grip	- frict. coeff.
Weight	0,910 gr/cm ³	Weight	- gr/cm ³

DISCOUNT SYSTEM			
SHOP		WHOLESALE	
Standard lenght sc.	%	Standard lenght sc.	%
-	-	-	-
-	-	-	-

APPLICATIONS , TECHNICAL DATA , PRICE

- High vis and floating line for mooring in the bay

Ø	weight	breacking load	standard lenght	custom lenght	Ø	yellow high vis	-	-	-
mm	gr/mt	daN	mt	mt	mm	€/mt	-	-	-
10	47,8	1.665	200	-	10	1,709 €	-	-	-
12	69,3	2.700	200	-	12	1,992 €	-	-	-
14	93,2	3.510	200	-	14	2,283 €	-	-	-
16	122,9	4.500	200	-	16	3,010 €	-	-	-
18	154,3	5.760	200	-	18	3,086 €	-	-	-
20	190,0	7.560	200	-	20	3,800 €	-	-	-
22	231,2	8.820	200	-	22	4,624 €	-	-	-
24	275,3	10.350	200	-	24	5,506 €	-	-	-
26	322,6	11.520	200	-	26	6,451 €	-	-	-
28	374,2	13.860	200	-	28	7,484 €	-	-	-
30	429,6	15.660	200	-	30	8,592 €	-	-	-
-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-

Shock absobtion at 50% of breacking load....12,00%

* Linear breaking load in according to DIN EN ISO 2307