



PRODUCT CLASS

Type C

T12 POLY PRO


12 strands floating line

T12
DIAMOND
POLY PRO

CORE : Polypropylene HT

COVER : Absent

CORE : POLYPROPYLENE HT



FIBER CHARACTERISTICS

The fiber's components of this product are : POLYPROPYLENE HT

- **Polypropylene** is a thermoplastic polymer made from the combination of propylene monomers



FIBER'S PROPERTY	UDM	POLYPROPYLENE HT	-	-
Tenacity	gr/den	6,5	-	-
Specific gravity	gr/cm ³	0,910	-	-
Elongation at break	%	20	-	-
Tensile modulus	gr/den	120	-	-
Melting point	°C	164	-	-

CORE



POLYPROPYLENE HT

COVER

ABSENT

FLOATING

BRAID CHARACTERISTICS

CORE			COVER (it's a media of the of all fiber's components)		
Tenacity	6,5	gr/den	Abrasion resistance	-	gr/den
Creep	-	%	Peack of temp.	-	°C
Module	120	gr/den	Grip	-	frict. coeff.
Weight	0,910	gr/cm ³	Weight	-	gr/cm ³

DISCOUNT SYSTEM

SHOP		WHOLESALE	
Standard lenght	sc. %	Standard lenght	sc. %
-	-	-	-
-	-	-	-

APPLICATIONS , TECHNICAL DATA , PRICE

- High vis and floating line for mooring in the bay



Yellow hi
vis

∅	weight	breacking load	standard lenght	custom lenght	∅	yellow high vis	-	-	-
mm	gr/mt	daN	mt	mt	mm	€/mt	-	-	-
12	68,6	1.728	200	-	12	1,594 €	-	-	-
14	91,0	2.592	200	-	14	2,114 €	-	-	-
16	114,0	3.456	200	-	16	2,631 €	-	-	-
18	137,2	3.888	200	-	18	3,166 €	-	-	-
20	159,6	5.184	200	-	20	3,683 €	-	-	-
22	182,7	6.480	200	-	22	4,216 €	-	-	-
24	251,3	7.776	200	-	24	5,026 €	-	-	-
26	296,8	9.072	200	-	26	5,936 €	-	-	-
28	388,5	10.368	200	-	28	7,770 €	-	-	-
30	434,0	11.664	200	-	30	8,680 €	-	-	-
32	502,6	12.960	200	-	32	10,052 €	-	-	-
36	594,3	16.848	200	-	36	11,886 €	-	-	-
40	798,0	20.736	200	-	40	15,960 €	-	-	-
-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-

* Linear breaking load in according to DIN EN ISO 2307

Shock absobtion at 50% of breacking load.... 13,00%