

PRODUCT CLASS

Type C

T16 COMPASS EYE SPLICE


Double braid hand spliced

**T16
COMPASS**

CORE : Polyester HT

COVER : Polyester HT

CORE : POLYESTER HT



COVER TECH MIX : POLYESTER HT




FIBER CHARACTERISTICS

The fiber's components of this product are : **POLYESTER HT**

- **Polyester** it's polymers produced by mixing ethylene glycol and terephthalic acid.



FIBER'S PROPERTY	UDM	POLYESTER HT	-	-	-
Tenacity	gr/den	9,3	-	-	-
Specific gravity	gr/cm ³	1,38	-	-	-
Elongation at break	%	14,6	-	-	-
Tensile modulus	gr/den	120	-	-	-
Melting point	°C	256	-	-	-




BRAID CHARACTERISTICS

CORE			COVER (it's a media of the of all fiber's components)		
Tenacity	9,3	gr/den	Abrasion resistance	9,3	gr/den
Creep	10	%	Peack of temp.	256	°C
Module	120	gr/den	Grip	0,10	frict. coeff.
Weight	1,38	gr/cm ³	Weight	1,38	gr/cm ³

DISCOUNT SYSTEM					
SHOP			WHOLESALER		
Price x pc.	sc.	%	Price x pc.	sc.	%
-	-	-	-	-	-
-	-	-	-	-	-

APPLICATIONS , TECHNICAL DATA , PRICE

- Mooring line with eye splice



∅	weight	breacking load	standard lenght	eye lenght	∅	white	black	blu navy	colors (on request)
mm	gr/mt	daN	mt	cm	mm	€/pz	€/pz	€/pz	€/pz
8	45,0	1.490	6	45	8	43,99 €	44,89 €	47,17 €	47,77 €
10	70,0	2.076	7	45	10	50,19 €	51,31 €	54,11 €	54,89 €
12	98,0	3.147	9	45	12	58,78 €	60,46 €	64,66 €	65,83 €
14	135,0	3.675	11	45	14	71,75 €	74,52 €	81,46 €	83,40 €
16	152,0	4.092	12	45	16	79,84 €	83,23 €	91,69 €	94,06 €
18	175,0	4.707	13	45	18	93,96 €	98,16 €	108,65 €	111,59 €
20	270,0	6.113	14	75	20	125,36 €	132,30 €	149,64 €	154,50 €
22	340,0	8.029	15	75	22	143,41 €	151,95 €	173,30 €	179,28 €
-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-

Shock absobtion at 50% of breacking load.... 7,00%

* Linear breaking load in according to DIN EN ISO 2307